ELSEVIER

Physica C 302 (1998) 347–349

PHYSICA C

Author Index to Volume 302

Akita, S., see Ichinose, A., **302** (1998) 51
Altmeyer, S., see Meltzow, A.C., **302** (1998) 207
Angurel, L.A., J.C. Díez, E. Martínez, J.I. Peña, G.F. de la Fuente and R. Navarro, Growth rate effects on thin $Bi_2Sr_2CaCu_2O_{8+\delta}$ textured rods, **302** (1998) 39
Askew, T.R., see Cha, Y.S., **302** (1998) 57
Astill, D.M., see Vanderbemden, Ph., **302** (1998) 257

Babanov, M.V., see Smolyak, B.M., **302** (1998) 23
Balestrino, G., S. Martellucci, P.G. Medaglia, A. Paoletti and G. Petrocelli, Growth, structural and electrical characterization of $[(Ca,Sr)CuO_2]_m/[BaCuO_2]_n$ superlattices, **302** (1998) 78
Beahm, E.C., see Hunt, R.D., **302** (1998) 130
Belouet, C., see Chambonnet, D., **302** (1998) 198
Berghuis, P., see Méchin, L., **302** (1998) 102
Blinov, E.V., R. Laiho, E. Lähderanta, Y.P. Stepanov and K.B. Traito, Line shape of the field dependence of the trapped moment in Y–Ba–Cu–O superconducting powders in low magnetic fields: manifestation of vortex polaron, **302** (1998) 143
Bolz, U., see Kittelberger, S., **302** (1998) 93
Bondarenko, A.V., see Prodan, A.A., **302** (1998) 271
Bradley, A.D., see Vanderbemden, Ph., **302** (1998) 257
Braginski, A.I., see Horstmann, C., **302** (1998) 176
Brozio, W., see O'Connor, J.D., **302** (1998) 277

Campbell, A.M., see Vanderbemden, Ph., **302** (1998) 257
Cardwell, D.A., see Vanderbemden, Ph., **302** (1998) 257
Cha, Y.S. and T.R. Askew, Transient response of a high-temperature superconductor tube to pulsed magnetic fields, **302** (1998) 57
Chabanenko, V.V., see Prodan, A.A., **302** (1998) 271
Chambonnet, D., D. Keller and C. Belouet, Control of the 2D/3D transition of the growth mechanism in the $YBCO/Ce_{1-x}La_xO_{2-x/2}/SrTiO_3$ system, **302** (1998) 198
Chandra, T., see Li, S., **302** (1998) 311
Cheon, M.Y., G.C. Kim, B.J. Kim and Y.C. Kim, Thermodynamics of $HgBa_2CaCu_2O_{6-\delta}$ superconductor in the critical fluctuation region, **302** (1998) 215
Cho, J.H., H. Safar, M.P. Maley, J.O. Willis, J.Y. Coulter, D.G. Steel and K.E. Gray, Effects of unidirectional and isotropic columnar defects in $Bi_2Sr_2CaCu_2O_8$ single crystals, **302** (1998) 113
Chu, C.W., see Sasaki, S., **302** (1998) 319
Coulter, J.Y., see Cho, J.H., **302** (1998) 113

De la Fuente, G.F., see Angurel, L.A., **302** (1998) 39
Dew-Hughes, D., see O'Connor, J.D., **302** (1998) 277
Díez, J.C., see Angurel, L.A., **302** (1998) 39
Dittmann, R., see Horstmann, C., **302** (1998) 176
Dou, S.X., see Li, S., **302** (1998) 311
Doyle, R.A., see Vanderbemden, Ph., **302** (1998) 257
Dunn, R.G., see Morosin, B., **302** (1998) 119

Engelhardt, A., see Horstmann, C., **302** (1998) 176
Ermakov, G.V., see Smolyak, B.M., **302** (1998) 23
Evetts, J.E., see Méchin, L., **302** (1998) 102

Friesen, M. and P. Muzikar, 3D *XY* scaling theory of the superconducting phase transition, **302** (1998) 67
Fueki, K., see Itoh, T., **302** (1998) 229
Fujita, A., Langevin simulation of the nonlocal Ginzburg–Landau model for superconductors in a magnetic field, **302** (1998) 304
Fukunaga, O., see Takemoto, M., **302** (1998) 151
Funahashi, Y., see Horii, S., **302** (1998) 10

Gao, W., see Li, S., **302** (1998) 311
Gerber, R., see Horstmann, C., **302** (1998) 176
Goringe, M.J., see O'Connor, J.D., **302** (1998) 277
Goyal, A., see List, F.A., **302** (1998) 87
Gray, K.E., see Cho, J.H., **302** (1998) 113
Grovenor, C.R.M., see O'Connor, J.D., **302** (1998) 277

Ha, D.H., Effects of the Ba-site dopants on the superconductivity of the RBCO system, **302** (1998) 299
Hadová, E., see Knížek, K., **302** (1998) 290
Halbritter, J., Pseudo gap, resonant tunneling and charge dynamics in cuprate superconductors, **302** (1998) 221
Hari Babu, N., T. Rajasekharan and V. Seshu Bai, Influence of $Nd_4Ba_2Cu_2O_{10}$ phase inclusions on flux penetration in melt-textured $NdBa_2Cu_3O_{7-\delta}$ superconductors, **302** (1998) 167
Hartmann, U., see Horstmann, C., **302** (1998) 176
Hayashi, Y., see Sasakura, H., **302** (1998) 325
Hejtmánek, J., see Knížek, K., **302** (1998) 290
Hesse, D., see Meltzow, A.C., **302** (1998) 207
Hirabayashi, H., see Yamamoto, H., **302** (1998) 137
Hirabayashi, I., see Horii, S., **302** (1998) 10
Hirabayashi, I., see Yoshida, Y., **302** (1998) 31
Holzapfel, B., see Kittelberger, S., **302** (1998) 93

Horii, S., Y. Yamada, H. Ikuta, N. Yamada, Y. Kodama, S. Katano, Y. Funahashi, S. Morii, A. Matsushita, T. Matsumoto, I. Hirabayashi and U. Mizutani, Synthesis and superconducting properties of $(Y_{1-x}Pr_x)Ba_2Cu_4O_8$ and $(Y_{1-x}Pr_x)_2Ba_4Cu_7O_{15-y}$ compounds, **302** (1998) 10
Horstmann, C., P. Leinenbach, A. Engelhardt, R. Gerber, J.L. Jia, R. Dittmann, U. Memmert, U. Hartmann and A.I. Braginski, Influence of ramp shape and morphology on the properties of $YBa_2Cu_3O_{7-\delta}$-ramp-type junctions, **302** (1998) 176
Huebener, R.P., see Kittelberger, S., **302** (1998) 93
Hunt, R.D., E.C. Beahm and G.F. Voronin, Partial oxygen pressure and temperature effects on the oxygen content of the Y–Ba–Cu–O melts, **302** (1998) 130

Ichinose, A., A. Kikuchi, K. Tachikawa and S. Akita, Deposition of Y_2O_3 buffer layers on biaxially-textured metal substrates, **302** (1998) 51
Ihara, H., see Yamamoto, H., **302** (1998) 137
Ihara, H., see Itoh, T., **302** (1998) 229
Ikawa, H., see Takemoto, M., **302** (1998) 151
Ikuta, H., see Horii, S., **302** (1998) 10
Ito, Y., see Yoshida, Y., **302** (1998) 31
Itoh, T., K. Fueki, Y. Tanaka and H. Ihara, Optical absorption spectra and electronic structure of $Bi_2(La_{1-x}Sr_x)_2CuO_y$, **302** (1998) 229

Jia, J.L., see Horstmann, C., **302** (1998) 176

Kaiser, T., see O'Connor, J.D., **302** (1998) 277
Kajuch, J., see Yuan, D.-W., **302** (1998) 1
Katano, S., see Horii, S., **302** (1998) 10
Kawabata, K., see Sasakura, H., **302** (1998) 325
Keller, D., see Chambonnet, D., **302** (1998) 198
Khan, N.A., see Yamamoto, H., **302** (1998) 137
Kikuchi, A., see Ichinose, A., **302** (1998) 51
Kim, B.J., see Cheon, M.Y., **302** (1998) 215
Kim, G.C., see Cheon, M.Y., **302** (1998) 215
Kim, Y.C., see Cheon, M.Y., **302** (1998) 215
Kittelberger, S., U. Bolz, R.P. Huebener, B. Holzapfel and L. Mex, Oxygen diffusion in $YBa_2Cu_3O_{7-\delta}$ films with different microstructures, **302** (1998) 93
Knížek, K., M. Veverka, E. Hadová, J. Hejtmánek, D. Sedmidubský and E. Pollert, Synthesis of $HgBa_2CuO_{4+\delta}$ by sol–gel method under controlled oxygen pressure; electron and thermal transport properties, **302** (1998) 290
Kodama, Y., see Horii, S., **302** (1998) 10
Kroeger, D.M., see List, F.A., **302** (1998) 87
Kurz, H., see Meltzow, A.C., **302** (1998) 207

Lähderanta, E., see Blinov, E.V., **302** (1998) 143
Laiho, R., see Blinov, E.V., **302** (1998) 143
Lee, D.F., see List, F.A., **302** (1998) 87
Leinenbach, P., see Horstmann, C., **302** (1998) 176
Li, S., W. Gao, H.K. Liu, T. Chandra and S.X. Dou, Texturing and grain growth behaviour of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ superconducting oxide during annealing, **302** (1998) 311
List, F.A., A. Goyal, M. Paranthaman, D.P. Norton, E.D. Specht, D.F. Lee and D.M. Kroeger, High J_c YBCO films on biaxially textured Ni with oxide buffer layers deposited using electron beam evaporation and sputtering, **302** (1998) 87
Liu, H.K., see Li, S., **302** (1998) 311
Lo, W., see Vanderbemden, Ph., **302** (1998) 257
Loureiro, S.M., Y. Matsui and E. Takayama-Muromachi, New series of high-T_c Cr-based superconductors, **302** (1998) 244

Maley, M.P., see Cho, J.H., **302** (1998) 113
Martellucci, S., see Balestrino, G., **302** (1998) 78
Martínez, E., see Angurel, L.A., **302** (1998) 39
Matsuda, A., see Sasaki, S., **302** (1998) 319
Matsui, Y., see Loureiro, S.M., **302** (1998) 244
Matsumoto, T., see Horii, S., **302** (1998) 10
Matsushita, A., see Horii, S., **302** (1998) 10
Méchin, L., P. Berghuis and J.E. Evetts, Properties of $YBa_2Cu_3O_{7-\delta}$ thin films grown on vicinal $SrTiO_3$ (001) substrates, **302** (1998) 102
Medaglia, P.G., see Balestrino, G., **302** (1998) 78
Meier, P.F., see Singer, J.M., **302** (1998) 183
Meltzow, A.C., S. Altmeyer, H. Kurz, N.D. Zakharov, S. Senz and D. Hesse, On the influence of rare earth doping on microstructure and phase composition of sputtered, epitaxial $Bi_2Sr_2(Ca_{x-1}RE_x)Cu_2O_{8+\delta}$ films and multilayers, **302** (1998) 207
Memmert, U., see Horstmann, C., **302** (1998) 176
Mex, L., see Kittelberger, S., **302** (1998) 93
Missert, N., see Morosin, B., **302** (1998) 119
Mizutani, U., see Horii, S., **302** (1998) 10
Morii, S., see Horii, S., **302** (1998) 10
Morosin, B., E.L. Venturini, R.G. Dunn, P. Newcomer Provencio, N. Missert and R.R. Padilla, Structural and compositional characterization of rubidium-containing crystals of the Tl–Ba–Ca–Cu–O superconductors, **302** (1998) 119
Moshchalkov, V.V., see Steegmans, A., **302** (1998) 159
Mumtaz, A., Y. Yamaguchi, K. Oka and G. Rajaram, Effect of Bi–Sr replacement and oxygen doping on vortex-matter phase transitions in $Bi_{2+x}Sr_{2-x}CaCu_2O_{8+\delta}$, **302** (1998) 331
Muzikar, P., see Friesen, M., **302** (1998) 67

Nagai, H., see Yoshida, Y., **302** (1998) 31
Naumov, S.V., see Smolyak, B.M., **302** (1998) 23
Navarro, R., see Angurel, L.A., **302** (1998) 39
Newcomer Provencio, P., see Morosin, B., **302** (1998) 119
Norton, D.P., see List, F.A., **302** (1998) 87

Obolenskii, M.A., see Prodan, A.A., **302** (1998) 271
O'Connor, J.D., D. Dew-Hughes, N. Reschauer, W. Brozio, H.H. Wagner, K.F. Renk, M.J. Goringe, C.R.M. Grovenor and T. Kaiser, The transmission electron microscopy investigation and electrical properties of epitaxial Tl-1223 and Bi-substituted Tl-1223 thin films grown by in-situ laser ablation, **302** (1998) 277
Ohashi, N., see Takemoto, M., **302** (1998) 151

Ohyama, T., see Takemoto, M., **302** (1998) 151
Oka, K., see Mumtaz, A., **302** (1998) 331
Oka, T., see Sasakura, H., **302** (1998) 325
Ooi, S., T. Shibauchi and T. Tamegai, Evolution of vortex phase diagram with oxygen-doping in $Bi_2Sr_2CaCu_2O_{8+y}$ single crystals, **302** (1998) 339

Padilla, R.R., see Morosin, B., **302** (1998) 119
Paoletti, A., see Balestrino, G., **302** (1998) 78
Paranthaman, M., see List, F.A., **302** (1998) 87
Peña, J.I., see Angurel, L.A., **302** (1998) 39
Petrocelli, G., see Balestrino, G., **302** (1998) 78
Piechota, S., see Prodan, A.A., **302** (1998) 271
Pollert, E., see Knížek, K., **302** (1998) 290
Pollock, M.J., see Yuan, D.-W., **302** (1998) 1
Prodan, A.A., V.A. Shklovskij, V.V. Chabanenko, A.V. Bondarenko, M.A. Obolenskii, H. Szymczak and S. Piechota, Observation of an odd longitudinal magnetoresistance in $YBa_2Cu_3O_{7-\delta}$ single crystals with unidirected twins, **302** (1998) 271
Provoost, R., see Steegmans, A., **302** (1998) 159

Rajaram, G., see Mumtaz, A., **302** (1998) 331
Rajasekharan, T., see Hari Babu, N., **302** (1998) 167
Renk, K.F., see O'Connor, J.D., **302** (1998) 277
Reschauer, N., see O'Connor, J.D., **302** (1998) 277

Safar, H., see Cho, J.H., **302** (1998) 113
Sasaki, S., A. Matsuda and C.W. Chu, ^{39}K-NMR observation of temperature-dependent spin susceptibility in K_3C_{60}, **302** (1998) 319
Sasakura, H., K.-i. Yoshida, Y. Hayashi, T. Oka and K. Kawabata, Superconductivity and structural change in the $(Bi_{2-y}Pb_y)Sr_2$ $(Eu_{2-x}Ce_x)Cu_2O_z$ system, **302** (1998) 325
Sedmidubský, D., see Knížek, K., **302** (1998) 290
Senz, S., see Meltzow, A.C., **302** (1998) 207
Seshu Bai, V., see Hari Babu, N., **302** (1998) 167
Shibauchi, T., see Ooi, S., **302** (1998) 339
Shklovskij, V.A., see Prodan, A.A., **302** (1998) 271
Silverans, R.E., see Steegmans, A., **302** (1998) 159
Singer, J.M. and P.F. Meier, Knight shift in the attractive Hubbard model: crossover regime, **302** (1998) 183
Smolyak, B.M., M.V. Babanov, G.V. Ermakov, I.B. Smolyak and S.V. Naumov, The instability of levitation of high-temperature superconductors subject to an alternating magnetic field, **302** (1998) 23
Smolyak, I.B., see Smolyak, B.M., **302** (1998) 23
Specht, E.D., see List, F.A., **302** (1998) 87
Steegmans, A., R. Provoost, R.E. Silverans and V.V. Moshchalkov, NMR decoration study of the mixed state in oxygen-deficient $YBa_2Cu_3O_x$, **302** (1998) 159
Steel, D.G., see Cho, J.H., **302** (1998) 113
Stepanov, Y.P., see Blinov, E.V., **302** (1998) 143
Szymczak, H., see Prodan, A.A., **302** (1998) 271

Tachikawa, K., see Ichinose, A., **302** (1998) 51
Takai, Y., see Yoshida, Y., **302** (1998) 31
Takayama-Muromachi, E., see Loureiro, S.M., **302** (1998) 244
Takemoto, M., H. Ikawa, N. Ohashi, T. Ohyama, T. Tsurumi, O. Fukunaga, J. Tanaka and A. Watanabe, Cu *K* edge X-ray absorption spectra of $La_2SrCu_2O_6$-type superconductor, **302** (1998) 151
Tamegai, T., see Ooi, S., **302** (1998) 339
Tanaka, J., see Takemoto, M., **302** (1998) 151
Tanaka, K., see Yamamoto, H., **302** (1998) 137
Tanaka, S., see Yoshida, Y., **302** (1998) 31
Tanaka, Y., see Itoh, T., **302** (1998) 229
Tokiwa, K., see Yamamoto, H., **302** (1998) 137
Tokumoto, M., see Yamamoto, H., **302** (1998) 137
Traito, K.B., see Blinov, E.V., **302** (1998) 143
Tsurumi, T., see Takemoto, M., **302** (1998) 151

Vanderbemden, Ph., A.D. Bradley, R.A. Doyle, W. Lo, D.M. Astill, D.A. Cardwell and A.M. Campbell, Superconducting properties of natural and artificial grain boundaries in bulk melt-textured YBCO, **302** (1998) 257
Venturini, E.L., see Morosin, B., **302** (1998) 119
Veverka, M., see Knížek, K., **302** (1998) 290
Voronin, G.F., see Hunt, R.D., **302** (1998) 130

Wagner, H.H., see O'Connor, J.D., **302** (1998) 277
Watanabe, A., see Takemoto, M., **302** (1998) 151
Willis, J.O., see Cho, J.H., **302** (1998) 113

Yamada, N., see Horii, S., **302** (1998) 10
Yamada, Y., see Horii, S., **302** (1998) 10
Yamaguchi, Y., see Mumtaz, A., **302** (1998) 331
Yamamoto, H., K. Tanaka, K. Tokiwa, H. Hirabayashi, M. Tokumoto, N.A. Khan and H. Ihara, Synthesis of $Cu_{1-x}Tl_xBa_2Ca_2Cu_3O_{11-y}$ $(x \sim 0.7)$ superconductor by hot press, **302** (1998) 137
Yoshida, K.-i., see Sasakura, H., **302** (1998) 325
Yoshida, Y., Y. Ito, H. Nagai, Y. Takai, I. Hirabayashi and S. Tanaka, Preparation and surface morphology of $YBa_2Cu_3O_{7-y}$ films by metalorganic chemical vapor deposition block by block deposition using liquid sources, **302** (1998) 31
Yuan, D.-W., M.J. Pollock and J. Kajuch, Effect of rolling on properties of monofilamentary Bi-2212 superconductor tapes, **302** (1998) 1

Zakharov, N.D., see Meltzow, A.C., **302** (1998) 207

ELSEVIER

Physica C 302 (1998) 350–351

PHYSICA C

Analytic Subject Index to Volume 302

AFM
–on $YBa_2Cu_3O_{7-y}$ thin film 31
Absorption coefficient
–for $Bi_2(La_{1-x}Sr_x)_2CuO_y$ thin films 229
Activation energy
–in $Bi_2Sr_2CaCu_2O_8$ single crystals 113
–in $YBa_2Cu_3O_{7-\delta}$ films 93
Anisotropic pinning
–in $YBa_2Cu_3O_{7-\delta}$ 271
Annealing
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ tapes 311
Applications of high-T_c superconductors 87

Ba-site
–in $YBa_{2-x}R_xCu_3O_y$ 299
Band effect
–for K_3C_{60} 319
Biaxial alignment
–of Y_2O_3 51
Block by block method 31
Break off frequency 23
Break off mechanism 23
Buffer layer
–of Y_2O_3 51

Charge dynamics 221
Columnar defects
–in $Bi_2Sr_2CaCu_2O_8$ single crystals 113
Conduction-electron density
–in K_3C_{60} 319
Critical current density 176
–of Bi-2212 tapes 1
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ textured rods 39
–of $Tl_1Ba_2Ca_2Cu_3O_x$ thin films 277
–of $YBa_2Cu_3O_{7-\delta}$ 257
–of $YBa_2Cu_3O_{7-\delta}$ 87
Critical phenomena 67
Crossover regime 183
Cubic textured Ni tape
–for Y_2O_3 buffer layer 51

D-wave superconductor 304
Decoupling transition
–in $Bi_{2+x}Sr_{2-x}CaCu_2O_{8+\delta}$ 331

Effective hole number
–in $Bi_2(La_{1-x}Sr_x)_2CuO_y$ thin film 229
Electric resistivity
–of $(Cu,Cr)Sr_2Ca_{n-1}Cu_nO_{2n+3+\delta}$ 244
Electrical resistivity
–of $(Bi_{2-y}Pb_y)Sr_2(Eu_{2-x}Ce_x)Cu_2O_z$ 325
–of $(Y_{1-x}Pr_x)_2Ba_4Cu_7O_{15-y}$ 10
–of $(Y_{1-x}Pr_x)Ba_2Cu_4O_8$ 10
–of $YBa_2Cu_3O_{7-\delta}$ films 102
–of $YBa_2Cu_3O_{7-\delta}$ 257
–of $YBa_{2-x}R_xCu_3O_y$ 299
–of $[(Ca,Sr)CuO_2]_m/[BaCuO_2]_n$ superlattices 78
Electron-phonon coupling
–in $HgBa_2CuO_{4+\delta}$ 290
Electronic structure
–of $Bi_2(La_{1-x}Sr_x)_2CuO_y$ thin film 229
Epitaxy 87
Excess oxygen content
–in $Bi_2(La_{1-x}Sr_x)_2CuO_y$ thin film 229
Excitation current 57

Fluctuation effects 67
–in $HgBa_2CaCu_2O_{6-\delta}$ 215
Flux lattice melting
–in $Bi_2Sr_2CaCu_2O_{8+y}$ 339
Flux lattice 304
–in $YBa_2Cu_3O_x$ 159
Flux penetration
–in $NdBa_2Cu_3O_{7-\delta}$ 167
Flux trapping
–in Y–Ba–Cu–O 143

Ginzburg–Landau theory 304
Grain alignment (texturing)
–in $YBa_2Cu_3O_{7-\delta}$ thin films 198
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ tapes 311
Grain alignment
–in $(CuTl)Ba_2Ca_{n-1}Cu_nO_{2n+4-y}$ 137
Grain boundaries
–in $YBa_2Cu_3O_{7-\delta}$ 257
Grain growth
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ tapes 311
Granular superconductivity 198

Growth rate
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ textured rods 39
Growth
–of $[(Ca,Sr)CuO_2]_m/[BaCuO_2]_n$ superlattices 78

HRTEM
–of $(Cu,Cr)Sr_2Ca_{n-1}Cu_nO_{2n+3+\delta}$ 244
Hall resistivity
–in $YBa_2Cu_3O_{7-\delta}$ 271
Heteroepitaxy 198
Hot press sintering
–of $(CuTl)Ba_2Ca_{n-1}Cu_nO_{2n+4-y}$ 137
Hubbard model 183

IV characteristics
–of $YBa_2Cu_3O_{7-\delta}$ 257
Ion beam etching
–of $YBa_2Cu_3O_{7-\delta}$ thin films 176
Irreversibility line
–of $Bi_2Sr_2CaCu_2O_8$ single crystals 113

^{39}K NMR
–of K_3C_{60} 319

Josephson junctions 207

Knight shift 183

Laser processing
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ textured rods 39
Levitation stability 23

MOCVD
–of $YBa_2Cu_3O_{7-y}$ thin film 31
Magnetic susceptibility
–of $(Bi_{2-y}Pb_y)Sr_2(Eu_{2-x}Ce_x)Cu_2O_z$ 325
–of $(Cu,Cr)Sr_2Ca_{n-1}Cu_nO_{2n+3+\delta}$ 244
–of Y–Ba–Cu–O 143
Magnetic suspension 23
Magnetization
–of $Bi_{2+x}Sr_{2-x}CaCu_2O_{8+\delta}$ 331
–of $HgBa_2CaCu_2O_{6-\delta}$ 215
–of Y–Ba–Cu–O 143

Meissner signal
–for Tl–Ba–Ca–Cu–O crystals 119
Melt texturing
–of $NdBa_2Cu_3O_{7-\delta}$ 167
Mercury superconductor 290
Micro-Hall probe 339
Microstructure
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ grains 311
–of $Bi_2Sr_2(Ca_{x-1}RE_x)Cu_2O_{8+\delta}$ films 207
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ textured rods 39
–of $NdBa_2Cu_3O_{7-\delta}$ 167
–of $Tl_1Ba_2Ca_2Cu_3O_x$ thin films 277
–of $YBa_2Cu_3O_{7-\delta}$ films 93
Mixed state 304, 67
–of $YBa_2Cu_3O_x$ 159

NMR shifts
–for K_3C_{60} 319
NMR 183
–on $YBa_2Cu_3O_x$ 159

Odd longitudinal magnetoresistance
–in $YBa_2Cu_3O_{7-\delta}$ 271
Oxygen diffusion
–in $YBa_2Cu_3O_{7-\delta}$ films 93
Oxygen model
–for $YBa_{2-x}R_xCu_3O_y$ 299
Oxygen stoichiometry
–in $Bi_2Sr_2CaCu_2O_{8+y}$ 339
–in Y–Ba–Cu–O melts 130

Pauli spin susceptibility
–of K_3C_{60} 319
Peak effect
–in $Bi_2Sr_2CaCu_2O_{8+y}$ 339
Penetration depth
–in $YBa_2Cu_3O_x$ 159
Penetration field 57
Phase diagram 130, 67
–of $Bi_2Sr_2CaCu_2O_{8+y}$ 339
Phase inclusions
–in $NdBa_2Cu_3O_{7-\delta}$ 167
Pseudo gap 221
Pulsed laser-assisted deposition
–of $YBa_2Cu_3O_{7-\delta}$ thin films 198

Ramp shape 176
Ramp-type junctions
–of $YBa_2Cu_3O_{7-\delta}$ thin films 176
Rb doping
–in Tl–Ba–Ca–Cu–O crystals 119
Relaxation rate
–for $YBa_2Cu_3O_{7-\delta}$ films 93
Resonant tunneling 221

Scaling theory 67
Scanning force microscopy
–on $YBa_2Cu_3O_{7-\delta}$ thin films 198
Second peak
–in $Bi_{2+x}Sr_{2-x}CaCu_2O_{8+\delta}$ 331
Sol–gel method preparation
–of $HgBa_2CuO_{4+\delta}$ 290
Spin-coating pyrolysis method
–for $Bi_2(La_{1-x}Sr_x)_2CuO_y$ thin films 229
Stabilization
–of $Bi_2Sr_2(Ca_{x-1}RE_x)Cu_2O_{8+\delta}$ films 207
Step bunching
–in $YBa_2Cu_3O_{7-\delta}$ films 102
Step flow growth
–in $YBa_2Cu_3O_{7-\delta}$ films 102
Structural change
–in $(Bi_{2-y}Pb_y)Sr_2(Eu_{2-x}Ce_x)Cu_2O_z$ 325
Structural phase transition 130
Structural refinement
–of $La_{1.85-x}Nd_xCa_{1.15}Cu_2O_{6+\delta}$ 151
–of $La_{1.9}Sr_{1.1-x}Ca_xCu_2O_{6+\delta}$ 151
Structure
–of $(Bi_{2-y}Pb_y)Sr_2(Eu_{2-x}Ce_x)Cu_2O_z$ 325
–of $(Cu,Cr)Sr_2Ca_{n-1}Cu_nO_{2n+3+\delta}$ 244
–of $(CuTl)Ba_2Ca_{n-1}Cu_nO_{2n+4-y}$ 137
–of $(Y_{1-x}Pr_x)_2Ba_4Cu_7O_{15-y}$ 10
–of $(Y_{1-x}Pr_x)Ba_2Cu_4O_8$ 10
–of $La_{1.85-x}Nd_xCa_{1.15}Cu_2O_{6+\delta}$ 151
–of $La_{1.9}Sr_{1.1-x}Ca_xCu_2O_{6+\delta}$ 151
–of Tl–Ba–Ca–Cu–O crystals 119
–of $YBa_2Cu_3O_{7-\delta}$ films 102
–of $YBa_{2-x}R_xCu_3O_y$ 299
–of $[(Ca,Sr)CuO_2]_m/[BaCuO_2]_n$ superlattices 78
Substitution effect
–in $YBa_{2-x}R_xCu_3O_y$ 299
–of $(Y_{1-x}Pr_x)_2Ba_4Cu_7O_{15-y}$ 10
–of $(Y_{1-x}Pr_x)Ba_2Cu_4O_8$ 10
Surface morphology
–of $YBa_2Cu_3O_{7-y}$ thin film 31
Surface resistance
–of $Tl_1Ba_2Ca_2Cu_3O_x$ thin films 277
Synthesis
–of $(Cu,Cr)Sr_2Ca_{n-1}Cu_nO_{2n+3+\delta}$ 244
–of $(CuTl)Ba_2Ca_{n-1}Cu_nO_{2n+4-y}$ 137
–of $(Y_{1-x}Pr_x)_2Ba_4Cu_7O_{15-y}$ 10
–of $(Y_{1-x}Pr_x)Ba_2Cu_4O_8$ 10
–of Bi-2212 tapes 1
–of $Bi_2Sr_2(Ca_{x-1}RE_x)Cu_2O_{8+\delta}$ films 207
–of $HgBa_2CuO_{4+\delta}$ 290
–of $NdBa_2Cu_3O_{7-\delta}$ 167
–of Tl–Ba–Ca–Cu–O crystals 119
–of $Tl_1Ba_2Ca_2Cu_3O_x$ thin films 277
–of $YBa_2Cu_3O_{7-\delta}$ films 87

TEM
–on $Tl_1Ba_2Ca_2Cu_3O_x$ thin films 277
Tape rolling 1
Thermal conductivity
–in $HgBa_2CuO_{4+\delta}$ 290
Thermodynamics
–of $HgBa_2CaCu_2O_{6-\delta}$ 215
Thermopower
–for $HgBa_2CuO_{4+\delta}$ 290
Thin films
–of $YBa_2Cu_3O_{7-\delta}$ thin films 198
–of $YBa_2Cu_3O_{7-\delta}$ 87
Transient response 57

Unidirected twins
–in $YBa_2Cu_3O_{7-\delta}$ 271

Vicinal substrates
–for $YBa_2Cu_3O_{7-\delta}$ films 102
Vortex melt transition
–in $Bi_{2+x}Sr_{2-x}CaCu_2O_{8+\delta}$ 331
Vortex-phase diagram
–for $Bi_{2+x}Sr_{2-x}CaCu_2O_{8+\delta}$ 331

XANES
–of $La_{1.85-x}Nd_xCa_{1.15}Cu_2O_{6+\delta}$ 151
–of $La_{1.9}Sr_{1.1-x}Ca_xCu_2O_{6+\delta}$ 151